Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22	(hardware same interpreter same (fixed OR set OR pre\$1defined) same instructions same map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:27
L2	0	(mixed with software with hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:56
L3	0	(mixed same software same (hardware with interpreter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:56
L4	319	software with (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:57
L5	14265	4 (instruction with execut\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON I	2004/12/03 11:57
L6	138	4 and (instruction with execut\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:57
L7		6 and (hardware with (map\$4 OR corresponding) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:02
L8	0	(hardware with (map\$4 OR corresponding) with instruction) and (JIT) and (native with instruction with found)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:03
L9	î o	(hardware with (map\$4 OR corresponding) with instruction) and (JIT) and (native with instruction with (found OR present OR available))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:03
L10	2	(hardware with (map\$4 OR corresponding) with instruction) and (native with instruction with (found OR present OR available))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:03

	<del></del>			<del> </del>		
L11	0	(native with instruction with (found OR present OR available)) same software same interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:04
L12	2	(hardware with instruction with (found OR present OR available)) same software same interpreter	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/12/03 12:05
			DERWENT; IBM_TDB			
L13	2	"6502237".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:07
L14	23	(instruction with check\$3 with native with instruction) same interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:09
L15	0	14 and (hardware near2 interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:09
L16	22	14 and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:12
L17	15	("256" with bytecode) and (hardware with interpreter) and (software with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:12
L19	8	("3735363"   "4443865"   "4633390"   "4754393"   "4785393"   "6009261").PN. OR ("6298434"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 13:00
L20		("4245302"   "4325118"   "4403284"   "4633390"   "4638423"   "4719565"   "5077657"   "5115500"   "5430862"   "5459872"   "5493672"   "5546562"   "5551013"   "5572710"   "5574927"   "5600579"   "5619666"   "5630066"   "5638525"   "5925123"   "6021273"   "6021469"   "6078322"   "6151618").PN. OR ("5838948"   "5925123"   "6292883").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 14:58

L21	15	20 and bytecode and table	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 14:30
L22	. 2	(hardware with software with interpreter).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:02
L23	22	(hardware adj interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:06
L24	21	(hardware with interpreter with map\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:07
L25	5	(hardware with interpreter with (map\$4 OR corresponding) with instruction)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:08
L26	6	("4524416"   "5584026"   "5953736"   "6108768"   "6332215"   "5925123").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:31
L27	2	26 and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:31
L28	59	("4587612"   "4631663"   "4763255"   "4783738"   "4860191"   "4961141"   "5077657"   "5113522"   "5136696"   "5142681"   "5163139"   "5193180"   "5201056"   "5218711"   "5241636"   "5313614"   "5333296"   "5335344"   "5355460"   "5430862"   "5481684"   "5490256"   "5535329"   "5542059"   "5574927"   "5577233"   "5619666"   "5634118"   "5650948"   "5659703"   "5692170"   "5761477"   "5764908"   "5768593"   "5774868"   "5778178"   "5781750"	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:39
		"5784584"   "5794068"   "5809336"   "5838165"   "5875336"   "5889996"   "5898850"   "5898885"   "5903761"   "5923892"   "5937193"   "5953741"   "5983334"   "5999731"   "6021469"   "6026485"   "6131144"   "6158048"   "6167488"   "6209077").PN. OR ("6332215").URPN.				
L29	5	bytecode with native with (mapping OR correspond\$3) with instruction	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:49

L30	11	("4724521"   "5162986"	US-PGPUB;	OR	ON	2004/12/03 15:48
130	11	"6044218"   "6121593"   "6139177"   "6170015"   "6199136"     "6282698"   "6282714"     "6289506").PN. OR ("6539433").   URPN.	USPAT; USOCR		ON	2004) 12/03 13.40
L31	104	(instruction with map\$4) and (hardware with (interpret\$3 OR convert\$3 OR accelerat\$3)) and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:51
L32	24	31 and table and bytecode	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:51
L35	158	(native with (non\$1native) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:11
L36		35 and register and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:11
L37	54	36 and interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:12
L38	35	36 and interpreter with hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:15
L39	2	"5925123".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:15
L40	4	("6535903"   "6502237").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:18
L41	4	(java same hardware same acceleration) and (register same mapping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:18

L42	5	(java same hardware same acceleration) and (register and mapping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:19
L43	488	712/209.ccls. OR 717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:19
L44	50	43 and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:19
L45	24	35 and 43	US-PGPUB; USPAT;	OR	ON	2004/12/03 16:27
			EPO; JPO; DERWENT; IBM_TDB			
L46	23	("5619665").URPN.	USPAT	OR	ON	2004/12/03 16:45
L47	13	(US-20020129225-\$ or US-20010010072-\$).did. or	US-PGPUB; USPAT	OR	ON	2004/12/03 17:11
		(US-5838948-\$ or US-5925123-\$ or US-6298434-\$ or US-6292883-\$ or US-6021469-\$ or US-6332215-\$ or US-6539433-\$ or US-5842017-\$ or US-6820252-\$ or US-6711667-\$).did.				
L48	0	47 and corresponding	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:11
L49	0	43 and (corresponding with native with instruction)	US-PGPUB; USPAT;	OR	ON	2004/12/03 17:13
			EPO; JPO; DERWENT; IBM_TDB		and the second s	
L50	0	43 and (corresponding with native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:13
L51	49	(corresponding with native with native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:14

		·				
L52	1	(corresponding with native with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:14
L53	35	(instruction with mapping with native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:32
L54	147	(different with bytecodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:32
L55	. 25	54 and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:51
L56	41	(translation with table) and mapping and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:52
L57	1	"invalid entry trap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2004/12/03 18:58
L58	4	47 and trap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 18:58
L59	1	(trap with un\$1supported with instruction) and interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 19:00
L60	1	(trap with un\$1supported with translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 19:00
L61	30	(trap with un\$1supported)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 19:00

S1	1344	arm.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:42
S2	11	S1 and hardware and interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:14
S3	201	717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:14
S4	9	S3 and (hardware near2 interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:28
S5	300	(Java with interpreter) and mapping and hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:28
S6	151	S5 and native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:29
S7	89	S6 and fixed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:29
S8	. 4	S6 and fixed near mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:36

	T			<del> </del> -	<u> </u>	I
S10	76	US-3889243-\$.DID. OR US-4236204-\$.DID. OR US-4587632-\$.DID. OR US-4969091-\$.DID. OR US-4922414-\$.DID. OR US-5136696-\$.DID. OR US-5455775-\$.DID. OR US-5619665-\$.DID. OR US-5638525-\$.DID. OR US-5740461-\$.DID. OR US-5742802-\$.DID. OR US-5784584-\$.DID. OR US-5809336-\$.DID. OR US-5838948-\$.DID. OR US-5838948-\$.DID. OR US-5875336-\$.DID. OR US-5925123-\$.DID. OR US-5925123-\$.DID. OR US-5937193-\$.DID. OR US-5937193-\$.DID. OR US-6003126-\$.DID. OR US-6009499-\$.DID. OR US-6009499-\$.DID. OR US-6014723-\$.DID. OR US-6014723-\$.DID. OR US-6021469-\$.DID. OR US-6021469-\$.DID. OR US-6031992-\$.DID. OR US-6031992-\$.DID. OR US-6038643-\$.DID. OR US-6038643-\$.DID. OR US-6125439-\$.DID. OR US-6125439-\$.DID. OR US-612638-\$.DID. OR US-612638-\$.DID. OR US-6317872-\$.DID. OR US-6338134-\$.DID. OR US-6338134-\$.DID. OR US-6338134-\$.DID. OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:17
		·				
S11	1	(software with hardware with interpreter) and (byte\$1code OR (byte adj code)) and JIT and (mapping with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:39
S12	0	(software with hardware with interpreter) and (mapping with memory with fixed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:39

S13	14	(software with hardware with interpreter) and (mapping with fixed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:53
S14	15	(software with hardware with interpreter) and (mapping with instruction with (group OR set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:11